

# KENT PAVING BREAKERS

## A Full Line of Demolition Tools to Meet All Your Needs

Whether your demolition tasks require the high impact energy of our 125-R for heavy-duty concrete or asphalt removal or the 17-R for light excavation and demolition work, Kent has a tool to fit your needs. Our Redline series offers a complete line of breakers, rivet busters, clay diggers, trenchers, chippers, tampers, rock drills and sump pumps.

## Built to Perform Year After Year

Kent's full line of hand-held air tools are built with one thought in mind - Quality. Our breakers feature complete drop forged construction, four bolt handles for rigid connection to the cylinder, a full control throttle, an efficient valve chest for low maintenance and replaceable front head bushings. Our Teflon - Graphite packing used in our tampers provides cooler operation, needs no adjusting, remains flexible, seals out dirt and lasts longer than conventional seals. Kent's Rock Drills feature swivel air inlets, four pawl construction for positive rotation, safety latch retainer and an automatic oiler for chuck parts.

## Backed By Kent

As always, Kent backs their tools with a complete parts inventory and a national distribution network to keep your tools operating at peak performance day after day.



Tools Renewed Inc.

Tel: 800-247-3639 Fax: 860-665-9821 Email: [sales@toolsrenewed.com](mailto:sales@toolsrenewed.com)



**TRENCHER**



**Model 17RT**  
Long handle allows for easy trenching applications.

**TAMPER**



**Model 6-R**  
This hard hitting tamper is used for excavation compacting or compacting backfill.

**RIVET BUSTER**



**Models: K600, K800 and K1100**  
Heavy chipping and breaking of concrete, bridgework applications, rivet and bolt head cutting and concrete scaling.

**CHIPPERS**



**Models: KCB-2, KCB-3, KCB-4**

**FLOOR SCRAPERS**



**Model: KFS-3 Floor Scraper**

Tool Model	Net Weight (lbs.)	Dimensions (in.)			Air Hose Size (in.)	Air Inlet Size (in.)	Standard Chuck (in.)	Optional Chuck (in.)	Bore & Stroke	Blows Per Minute (BPM)	Air Consumption (CFM)
		L	W	D							
125R Breaker	97	28 <sup>3</sup> / <sub>4</sub> "	16"	6"	3/4"	3/4" NPT-Male	1 1/4" Hex x 6"	1 1/8" Hex x 6"	2 5/8" x 5"	1,250	77
125RSP Spike Driver	87 1/2	27 3/4"	16"	6"	3/4"	3/4" NPT-Male	1 1/2" I.D.	N/A	2 5/8" x 5"	1,250	77
123R Breaker	72 1/2	26"	16"	6"	3/4"	1/2" NPT-Male	1 1/8" Hex x 6"	1 1/4" Hex x 6"	2 1/4" x 5"	1,400	57.7
20R Breaker	40	26"	14"	4"	3/4"	1/2" NPT-Male	1" Hex x 4 1/4"	N/A	1 47/64" x 5 3/4"	900	49
18R Clay Digger	31 1/2	22 3/4"	8 1/8"	4"	1/2"	3/8" NPT-Male	1" Hex x 4 1/4"	7/8" Hex x 3 1/4"	1 3/4" x 3 3/8"	1,550	49
17R Breaker	34 1/2	22 1/2"	14"	4 1/2"	1/2"	3/8" NPT-Male	1" Hex x 4 1/4"	7/8" Hex x 3 1/4"	1 3/4" x 3 3/8"	1,550	49
17RT Trencher	46	32 1/4"	14"	4 1/2"	1/2"	3/8" NPT-Male	1" Hex x 4 1/4"	7/8" Hex x 3 1/4"	1 3/4" x 3 3/8"	1,550	49
6R Tamper	40	49 3/8"	3" Body	5 3/4" Butt	3/4"	1/2" NPT-Female	N/A	N/A	1 1/2" x 5 1/2"	800	38.5
K600 Mini Rivet Buster	23	17"	8"	5"	1/2"	7/8-24 NPT-Female	11X Heavy Shank	N/A	1.4" x 2 3/4"	1,560	40
K800 Rivet Buster	31	22"	6 3/4"	3"	1/2"	7/8-24 NPT-Female	11X Heavy Shank	N/A	1 3/16" x 8"	800	32
K1100 Rivet Buster	34	25"	6 3/4"	3"	1/2"	1/2" NPT-Female	11X Heavy Shank	N/A	1 3/16" x 11"	750	35
KCB 2" Chipper	18	14 3/4"	8 1/8"	3 1/8"	1/4"	7/8-24 NPT-Female	.680 Rd. or .580 Hex	Ball-Type Retainer	1 1/8" x 2"	2,300	29.75
KCB 3" Chipper	19	16"	8 1/8"	3 1/8"	1/4"	7/8-24 NPT-Female	.680 Rd. or .580 Hex	Ball-Type Retainer	1 1/8" x 2 1/2"	2,200	31.5
KCB 4" Chipper	20	17"	8 1/8"	3 1/8"	1/4"	7/8-24 NPT-Female	.680 Rd. or .580 Hex	Ball-Type Retainer	1 1/8" x 4"	1,800	33.25
KFS-3 Floor Scraper	17	60"	2 1/2"	2 1/2"	1/2"	1/2" NPT-Female	.580 Hex	N/A	1 1/2" x 1 1/2"	3,850	12
KFS-1 Floor Scraper	14	60"	2 1/2"	2 1/2"	T/C	1/4" NPT-Female	.590 Hex	N/A	1 3/16" x 1 1/2"	2,300	7

Tools Renewed Inc.

Tel: 800-247-3639 Fax: 860-665-9821 Email: sales@toolsrenewed.com

## KENT ROCK DRILLS



Used for drilling blast holes, bolt and conduit hole drilling in concrete.

Model & Type	Chuck Size (in)	Net Weight Weight	Overall Length (in)	Air Hose Size (in)	Air Consumption	Blows Per Minute (BPM)	Bore & Stroke (in)
RD-7B	$\frac{7}{8} \times 3\frac{1}{4}$	16.5 lbs.	19 in.	$\frac{3}{4}$	36	2900	$1\frac{15}{16} \times 1.89$
RD-112D	$\frac{7}{8} \times 3\frac{1}{4}$	30 lbs.	19 in.	$\frac{3}{4}$	60.0	2100	$2\frac{11}{8} \times 1\frac{25}{32}$
RD-519	$1 \times 4\frac{1}{4}$	51 lbs.	20.5 in.	$\frac{3}{4}$	92.2	2300	$3 \times 2$
RD-22D	$1 \times 4\frac{1}{4}$	59 lbs.	24 in.	$\frac{3}{4}$	124.0	1800	$2\frac{3}{4} \times 2\frac{3}{4}$
RD-75	$1 \times 4\frac{1}{4}$	61 lbs.	24 in.	$\frac{3}{4}$	115.0	2100	$2\frac{5}{8} \times 3$

Tools Renewed Inc.

Tel: 800-247-3639 Fax: 860-665-9821 Email: [sales@toolsrenewed.com](mailto:sales@toolsrenewed.com)